

**2011**

**Montana  
Youth Risk Behavior  
Survey**

**Students with  
Disabilities**

☞ 2011 Frequency Distributions  
☞ 1999-2011 Trend Data

Montana Office of Public Instruction  
Health Enhancement and Safety Division  
June 2011



Montana  
Office of Public Instruction  
Denise Juneau, State Superintendent

[opi.mt.gov](http://opi.mt.gov)

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

The following frequency distributions are based upon surveys with 1,672 high school students with disabilities in Montana during February of 2011. Frequency distributions may not total 1,672 due to nonresponse and percents may not total 100 percent due to rounding.

<i>Q-1. How old are you?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 12 years old or younger	6	0.4%
b. 13 years old	9	0.5%
c. 14 years old	153	9.2%
d. 15 years old	453	27.3%
e. 16 years old	448	27.0%
f. 17 years old	351	21.1%
g. 18 years old or older	240	14.5%
<b>Total</b>	<b>1,660</b>	<b>100.0%</b>

<i>Q-2. What is your sex?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Female	729	44.2%
b. Male	922	55.8%
<b>Total</b>	<b>1,651</b>	<b>100.0%</b>

<i>Q-3. In what grade are you?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 9th grade	493	30.0%
b. 10th grade	471	28.6%
c. 11th grade	356	21.7%
d. 12th grade	308	18.7%
e. Ungraded or other grade	16	1.0%
<b>Total</b>	<b>1,644</b>	<b>100.0%</b>

<i>Q-4. Are you Hispanic or Latino?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	157	9.7%
b. No	1,469	90.3%
<b>Total</b>	<b>1,626</b>	<b>100.0%</b>

<i>Q-5. What is your race?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. American Indian or Alaskan Native	295	17.6%
b. Asian	47	2.8%
c. Black or African American	60	3.6%
d. Native Hawaiian or Other Pacific Islander	40	2.4%
e. White	1,321	79.0%
(More than one response allowed) <b>Total</b>	<b>1,763</b>	<b>105.4%</b>

<i>Q-6. How tall are you without your shoes on?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Less than 4 ft	5	0.4%
b. 4ft to 4 ft, 6 in	5	0.4%
c. 4ft, 7in to 5 ft	36	3.2%
d. 5ft, 1in to 5ft, 6in	381	34.0%
e. Over 5ft, 6in	693	61.9%
<b>Total</b>	<b>1,120</b>	<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

<i>Q-7. How much do you weigh without your shoes on?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Less than 90 lbs	6	0.4%
b. 90-99 lbs	25	1.6%
c. 100-109 lbs	72	4.5%
d. 110-119lbs	146	9.1%
e. 120-129 lbs	183	11.4%
f. 130-139 lbs	190	11.9%
g. 140 lbs +	978	61.1%
<b>Total</b>	<b>1,600</b>	<b>100.0%</b>

<i>Q-8. When you rode a bicycle during the past 12 months, how often did you wear a helmet?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not ride a bicycle during the past 12 months	494	29.7%
b. Never wore a helmet	902	54.3%
c. Rarely wore a helmet	115	6.9%
d. Sometimes wore a helmet	64	3.9%
e. Most of the time wore a helmet	46	2.8%
f. Always wore a helmet	40	2.4%
<b>Total</b>	<b>1,661</b>	<b>100.0%</b>

<i>Q-9. How often do you wear your seat belt when riding in a car driven by someone else?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Never	117	7.1%
b. Rarely	170	10.3%
c. Sometimes	264	16.0%
d. Most of the time	490	29.8%
e. Always	605	36.8%
<b>Total</b>	<b>1,646</b>	<b>100.0%</b>

<i>Q-10. How often do you wear a seat belt when driving a car?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Never	202	12.4%
b. Rarely	119	7.3%
c. Sometimes	153	9.4%
d. Most of the time	289	17.7%
e. Always	867	53.2%
<b>Total</b>	<b>1,630</b>	<b>100.0%</b>

<i>Q-11. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,138	68.6%
b. 1 time	176	10.6%
c. 2 or 3 times	163	9.8%
d. 4 or 5 times	59	3.6%
e. 6 or more times	124	7.5%
<b>Total</b>	<b>1,660</b>	<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

<i>Q-12. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,409	85.4%
b. 1 time	92	5.6%
c. 2 or 3 times	63	3.8%
d. 4 or 5 times	22	1.3%
e. 6 or more times	64	3.9%
<b>Total</b>	<b>1,650</b>	<b>100.0%</b>

<i>Q-13. During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	941	57.2%
b. 1 or 2 days	167	10.2%
c. 3 to 5 days	98	6.0%
d. 6 to 9 days	75	4.6%
e. 10 to 19 days	97	5.9%
f. 20 to 29 days	63	3.8%
g. All 30 days	204	12.4%
<b>Total</b>	<b>1,645</b>	<b>100.0%</b>

<i>Q-14. During the past 30 days, on how many days did you talk on a cell phone while driving a car or other vehicle?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	901	54.2%
b. 1 or 2 days	220	13.2%
c. 3 to 5 days	132	7.9%
d. 6 to 9 days	111	6.7%
e. 10 to 19 days	120	7.2%
f. 20 to 29 days	60	3.6%
g. All 30 days	117	7.0%
<b>Total</b>	<b>1,661</b>	<b>100.0%</b>

<i>Q-15. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,118	67.8%
b. 1 day	87	5.3%
c. 2 or 3 days	106	6.4%
d. 4 or 5 days	55	3.3%
e. 6 or more days	284	17.2%
<b>Total</b>	<b>1,650</b>	<b>100.0%</b>

<i>Q-16. During the past 30 days, on how many days did you carry a gun?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,413	85.8%
b. 1 day	70	4.3%
c. 2 or 3 days	62	3.8%
d. 4 or 5 days	21	1.3%
e. 6 or more days	80	4.9%
<b>Total</b>	<b>1,646</b>	<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

<i>Q-17. During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	1,386	83.3%
b. 1 day	56	3.4%
c. 2 or 3 days	44	2.6%
d. 4 or 5 days	33	2.0%
e. 6 or more days	145	8.7%
<b>Total</b>	<b>1,664</b>	<b>100.0%</b>

<i>Q-18. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	1,491	89.8%
b. 1 day	72	4.3%
c. 2 or 3 days	42	2.5%
d. 4 or 5 days	12	0.7%
e. 6 or more days	43	2.6%
<b>Total</b>	<b>1,660</b>	<b>100.0%</b>

<i>Q-19. During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	1,101	67.3%
b. 1 time	212	13.0%
c. 2 or 3 times	184	11.2%
d. 4 or 5 times	49	3.0%
e. 6 or 7 times	23	1.4%
f. 8 or 9 times	16	1.0%
g. 10 or 11 times	10	0.6%
h. 12 or more times	41	2.5%
<b>Total</b>	<b>1,636</b>	<b>100.0%</b>

<i>Q-20. During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	1,443	86.5%
b. 1 time	88	5.3%
c. 2 or 3 times	50	3.0%
d. 4 or 5 times	23	1.4%
e. 6 or 7 times	10	0.6%
f. 8 or 9 times	6	0.4%
g. 10 or 11 times	2	0.1%
h. 12 or more times	47	2.8%
<b>Total</b>	<b>1,669</b>	<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

<i>Q-21. During the past 12 months, how many times were you in a physical fight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,049	63.4%
b. 1 time	233	14.1%
c. 2 or 3 times	195	11.8%
d. 4 or 5 times	55	3.3%
e. 6 or 7 times	37	2.2%
f. 8 or 9 times	17	1.0%
g. 10 or 11 times	13	0.8%
h. 12 or more times	55	3.3%
<b>Total</b>	<b>1,654</b>	<b>100.0%</b>

<i>Q-22. During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,517	92.6%
b. 1 time	77	4.7%
c. 2 or 3 times	22	1.3%
d. 4 or 5 times	5	0.3%
e. 6 or more times	17	1.0%
<b>Total</b>	<b>1,638</b>	<b>100.0%</b>

<i>Q-23. During the past 12 months, how many times were you in a physical fight on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,360	81.8%
b. 1 time	176	10.6%
c. 2 or 3 times	64	3.9%
d. 4 or 5 times	17	1.0%
e. 6 or 7 times	7	0.4%
f. 8 or 9 times	6	0.4%
g. 10 or 11 times	4	0.2%
h. 12 or more times	28	1.7%
<b>Total</b>	<b>1,662</b>	<b>100.0%</b>

<i>Q-24. During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	253	15.4%
b. No	1,393	84.6%
<b>Total</b>	<b>1,646</b>	<b>100.0%</b>

<i>Q-25. Have you ever been physically forced to have sexual intercourse when you did not want to?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	273	16.6%
b. No	1,368	83.4%
<b>Total</b>	<b>1,641</b>	<b>100.0%</b>

<i>Q-26. During the past 12 months, have you ever been bullied on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	635	38.3%
b. No	1,023	61.7%
<b>Total</b>	<b>1,658</b>	<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

Q-27. <i>During the past 12 months, have you ever been electronically bullied? (Include being bullied through e-mail, chat rooms, instant messaging, Web sites, or texting.)</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	482	29.1%
b. No	1,172	70.9%
	<b>Total</b>	<b>1,654</b>
		<b>100.0%</b>

Q-28. <i>During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	622	38.2%
b. No	1,008	61.8%
	<b>Total</b>	<b>1,630</b>
		<b>100.0%</b>

Q-29. <i>During the past 12 months, did you ever seriously consider attempting suicide?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	424	25.6%
b. No	1,232	74.4%
	<b>Total</b>	<b>1,656</b>
		<b>100.0%</b>

Q-30. <i>During the past 12 months, did you make a plan about how you would attempt suicide?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	356	21.5%
b. No	1,296	78.5%
	<b>Total</b>	<b>1,652</b>
		<b>100.0%</b>

Q-31. <i>During the past 12 months, how many times did you actually attempt suicide?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	1,333	82.4%
b. 1 time	180	11.1%
c. 2 or 3 times	67	4.1%
d. 4 or 5 times	10	0.6%
e. 6 or more times	27	1.7%
	<b>Total</b>	<b>1,617</b>
		<b>100.0%</b>

Q-32. <i>If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not attempt suicide	1,309	79.7%
b. Yes	120	7.3%
c. No	213	13.0%
	<b>Total</b>	<b>1,642</b>
		<b>100.0%</b>

Q-33. <i>Have you ever tried cigarette smoking, even one or two puffs?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	904	55.3%
b. No	732	44.7%
	<b>Total</b>	<b>1,636</b>
		<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

<i>Q-34. How old were you when you smoked a whole cigarette for the first time?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never smoked a whole cigarette	904	54.7%
b. 8 years old or younger	135	8.2%
c. 9 or 10 years old	86	5.2%
d. 11 or 12 years old	118	7.1%
e. 13 or 14 years old	192	11.6%
f. 15 or 16 years old	167	10.1%
g. 17 years old or older	51	3.1%
<b>Total</b>	<b>1,653</b>	<b>100.0%</b>

<i>Q-35. During the past 30 days, on how many days did you smoke cigarettes?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,201	72.3%
b. 1 or 2 days	124	7.5%
c. 3 to 5 days	58	3.5%
d. 6 to 9 days	51	3.1%
e. 10 to 19 days	56	3.4%
f. 20 to 29 days	46	2.8%
g. All 30 days	124	7.5%
<b>Total</b>	<b>1,660</b>	<b>100.0%</b>

<i>Q-36. During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not smoke cigarettes during the past 30 days	1,194	72.0%
b. Less than 1 cigarette per day	124	7.5%
c. 1 cigarette per day	69	4.2%
d. 2 to 5 cigarettes per day	162	9.8%
e. 6 to 10 cigarettes per day	61	3.7%
f. 11 to 20 cigarettes per day	19	1.1%
g. More than 20 cigarettes per day	30	1.8%
<b>Total</b>	<b>1,659</b>	<b>100.0%</b>

<i>Q-37. During the past 30 days, how did you usually get your own cigarettes? (Select only one response.)</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not smoke cigarettes during the past 30 days	1,190	72.0%
b. I bought them in a store such as a convenience store, supermarket, discount store, or gas station	105	6.4%
c. I bought them from a vending machine	12	0.7%
d. I gave someone else money to buy them for me	132	8.0%
e. I borrowed (or bummed) them from someone else	104	6.3%
f. A person 18 years old or older gave them to me	24	1.5%
g. I took them from a store or family member	26	1.6%
h. I got them some other way	59	3.6%
<b>Total</b>	<b>1,652</b>	<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

<i>Q-38. During the past 30 days, on how many days did you smoke cigarettes on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	1,470	88.4%
b. 1 or 2 days	60	3.6%
c. 3 to 5 days	25	1.5%
d. 6 to 9 days	20	1.2%
e. 10 to 19 days	18	1.1%
f. 20 to 29 days	28	1.7%
g. All 30 days	42	2.5%
<b>Total</b>	<b>1,663</b>	<b>100.0%</b>

<i>Q-39. Have you ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days?</i>	<u>Count</u>	<u>Percent</u>
a. Yes	363	22.2%
b. No	1,271	77.8%
<b>Total</b>	<b>1,634</b>	<b>100.0%</b>

<i>Q-40. During the past 12 months, did you ever try to quit smoking cigarettes?</i>	<u>Count</u>	<u>Percent</u>
a. I did not smoke during the past 12 months	1,132	69.4%
b. Yes	323	19.8%
c. No	177	10.8%
<b>Total</b>	<b>1,632</b>	<b>100.0%</b>

<i>Q-41. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	1,334	80.3%
b. 1 or 2 days	96	5.8%
c. 3 to 5 days	38	2.3%
d. 6 to 9 days	34	2.0%
e. 10 to 19 days	30	1.8%
f. 20 to 29 days	24	1.4%
g. All 30 days	106	6.4%
<b>Total</b>	<b>1,662</b>	<b>100.0%</b>

<i>Q-42. During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip on school property?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	1,430	86.4%
b. 1 or 2 days	77	4.7%
c. 3 to 5 days	27	1.6%
d. 6 to 9 days	20	1.2%
e. 10 to 19 days	16	1.0%
f. 20 to 29 days	15	0.9%
g. All 30 days	70	4.2%
<b>Total</b>	<b>1,655</b>	<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

<i>Q-43. During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	1,344	81.3%
b. 1 or 2 days	125	7.6%
c. 3 to 5 days	70	4.2%
d. 6 to 9 days	47	2.8%
e. 10 to 19 days	17	1.0%
f. 20 to 29 days	10	0.6%
g. All 30 days	40	2.4%
<b>Total</b>	<b>1,653</b>	<b>100.0%</b>

<i>Q-44. During your life, on how many days have you had at least one drink of alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	457	27.6%
b. 1 or 2 days	247	14.9%
c. 3 to 9 days	239	14.4%
d. 10 to 19 days	171	10.3%
e. 20 to 39 days	152	9.2%
f. 40 to 99 days	143	8.6%
g. 100 or more days	245	14.8%
<b>Total</b>	<b>1,654</b>	<b>100.0%</b>

<i>Q-45. How old were you when you had your first drink of alcohol other than a few sips?</i>	<u>Count</u>	<u>Percent</u>
a. I have never had a drink of alcohol other than a few sips	490	29.6%
b. 8 years old or younger	181	10.9%
c. 9 or 10 years old	127	7.7%
d. 11 or 12 years old	217	13.1%
e. 13 or 14 years old	357	21.6%
f. 15 or 16 years old	237	14.3%
g. 17 years old or older	47	2.8%
<b>Total</b>	<b>1,656</b>	<b>100.0%</b>

<i>Q-46. During the past 30 days, on how many days did you have at least one drink of alcohol?</i>	<u>Count</u>	<u>Percent</u>
a. 0 days	972	58.7%
b. 1 or 2 days	302	18.2%
c. 3 to 5 days	143	8.6%
d. 6 to 9 days	97	5.9%
e. 10 to 19 days	83	5.0%
f. 20 to 29 days	24	1.4%
g. All 30 days	35	2.1%
<b>Total</b>	<b>1,656</b>	<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

<i>Q-47. During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,164	69.9%
b. 1 day	164	9.8%
c. 2 days	97	5.8%
d. 3 to 5 days	113	6.8%
e. 6 to 9 days	57	3.4%
f. 10 to 19 days	32	1.9%
g. 20 or more days	39	2.3%
<b>Total</b>	<b>1,666</b>	<b>100.0%</b>

<i>Q-48. During the past 30 days, how did you usually get the alcohol you drank?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not drink alcohol during the past 30 days	938	56.9%
b. I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	36	2.2%
c. I bought it at a restaurant, bar, or club	30	1.8%
d. I bought it at a public event such as a concert or sporting event	11	0.7%
e. I gave someone else money to buy it for me	214	13.0%
f. Someone gave it to me	194	11.8%
g. I took it from a store or family member	63	3.8%
h. I got it some other way	163	9.9%
<b>Total</b>	<b>1,649</b>	<b>100.0%</b>

<i>Q-49. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	1,491	90.4%
b. 1 or 2 days	71	4.3%
c. 3 to 5 days	23	1.4%
d. 6 to 9 days	12	0.7%
e. 10 to 19 days	14	0.8%
f. 20 to 29 days	7	0.4%
g. All 30 days	31	1.9%
<b>Total</b>	<b>1,649</b>	<b>100.0%</b>

<i>Q-50. During your life, how many times have you used marijuana?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	912	55.0%
b. 1 or 2 times	140	8.4%
c. 3 to 9 times	110	6.6%
d. 10 to 19 times	62	3.7%
e. 20 to 39 times	73	4.4%
f. 40 to 99 times	91	5.5%
g. 100 or more times	270	16.3%
<b>Total</b>	<b>1,658</b>	<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

<i>Q-51. How old were you when you tried marijuana for the first time?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never tried marijuana	904	54.7%
b. 8 years old or younger	91	5.5%
c. 9 or 10 years old	51	3.1%
d. 11 or 12 years old	129	7.8%
e. 13 or 14 years old	250	15.1%
f. 15 or 16 years old	194	11.7%
g. 17 years old or older	35	2.1%
<b>Total</b>	<b>1,654</b>	<b>100.0%</b>

<i>Q-52. During the past 30 days, how many times did you use marijuana?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,170	71.2%
b. 1 or 2 times	121	7.4%
c. 3 to 9 times	105	6.4%
d. 10 to 19 times	76	4.6%
e. 20 to 39 times	48	2.9%
f. 40 or more times	123	7.5%
<b>Total</b>	<b>1,643</b>	<b>100.0%</b>

<i>Q-53. During the past 30 days, how many times did you use marijuana on school property?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,483	89.4%
b. 1 or 2 times	62	3.7%
c. 3 to 9 times	35	2.1%
d. 10 to 19 times	30	1.8%
e. 20 to 39 times	7	0.4%
f. 40 or more times	41	2.5%
<b>Total</b>	<b>1,658</b>	<b>100.0%</b>

<i>Q-54. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,460	88.0%
b. 1 or 2 times	82	4.9%
c. 3 to 9 times	38	2.3%
d. 10 to 19 times	25	1.5%
e. 20 to 39 times	11	0.7%
f. 40 or more times	43	2.6%
<b>Total</b>	<b>1,659</b>	<b>100.0%</b>

<i>Q-55. During the past 30 days, how many times did you use any form of cocaine, including powder, crack, or freebase?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 times	1,530	93.1%
b. 1 or 2 times	36	2.2%
c. 3 to 9 times	25	1.5%
d. 10 to 19 times	10	0.6%
e. 20 to 39 times	6	0.4%
f. 40 or more times	36	2.2%
<b>Total</b>	<b>1,643</b>	<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

<i>Q-56. During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	1,326	79.7%
b. 1 or 2 times	139	8.4%
c. 3 to 9 times	78	4.7%
d. 10 to 19 times	47	2.8%
e. 20 to 39 times	19	1.1%
f. 40 or more times	54	3.2%
	<b>Total 1,663</b>	<b>100.0%</b>

<i>Q-57. During your life, how many times have you used heroin (also called smack, junk, or China White)?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	1,558	93.7%
b. 1 or 2 times	36	2.2%
c. 3 to 9 times	15	0.9%
d. 10 to 19 times	12	0.7%
e. 20 to 39 times	11	0.7%
f. 40 or more times	31	1.9%
	<b>Total 1,663</b>	<b>100.0%</b>

<i>Q-58. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	1,534	93.3%
b. 1 or 2 times	39	2.4%
c. 3 to 9 times	16	1.0%
d. 10 to 19 times	14	0.9%
e. 20 to 39 times	5	0.3%
f. 40 or more times	37	2.2%
	<b>Total 1,645</b>	<b>100.0%</b>

<i>Q-59. During your life, how many times have you used ecstasy (also called MDMA)?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	1,462	87.7%
b. 1 or 2 times	91	5.5%
c. 3 to 9 times	37	2.2%
d. 10 to 19 times	21	1.3%
e. 20 to 39 times	9	0.5%
f. 40 or more times	47	2.8%
	<b>Total 1,667</b>	<b>100.0%</b>

<i>Q-60. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?</i>	<u>Count</u>	<u>Percent</u>
a. 0 times	1,548	93.2%
b. 1 or 2 times	39	2.3%
c. 3 to 9 times	17	1.0%
d. 10 to 19 times	11	0.7%
e. 20 to 39 times	9	0.5%
f. 40 or more times	37	2.2%
	<b>Total 1,661</b>	<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

Q-61. <i>During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	1,242	75.4%
b. 1 or 2 times	116	7.0%
c. 3 to 9 times	113	6.9%
d. 10 to 19 times	57	3.5%
e. 20 to 39 times	39	2.4%
f. 40 or more times	81	4.9%
	<b>Total</b>	<b>1,648</b>
		<b>100.0%</b>

Q-62. <i>During your life, how many times have you used a needle to inject any illegal drug into your body?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. 0 times	1,553	94.0%
b. 1 time	50	3.0%
c. 2 or more times	49	3.0%
	<b>Total</b>	<b>1,652</b>
		<b>100.0%</b>

Q-63. <i>During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	486	29.6%
b. No	1,155	70.4%
	<b>Total</b>	<b>1,641</b>
		<b>100.0%</b>

Q-64. <i>Have you ever had sexual intercourse?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	943	58.1%
b. No	679	41.9%
	<b>Total</b>	<b>1,622</b>
		<b>100.0%</b>

Q-65. <i>How old were you when you had sexual intercourse for the first time?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had sexual intercourse	728	44.0%
b. 11 years old or younger	116	7.0%
c. 12 years old	80	4.8%
d. 13 years old	130	7.9%
e. 14 years old	195	11.8%
f. 15 years old	224	13.5%
g. 16 years old	138	8.3%
h. 17 years old or older	43	2.6%
	<b>Total</b>	<b>1,654</b>
		<b>100.0%</b>

Q-66. <i>During your life, with how many people have you had sexual intercourse?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had sexual intercourse	711	43.5%
b. 1 person	270	16.5%
c. 2 people	166	10.1%
d. 3 people	124	7.6%
e. 4 people	82	5.0%
f. 5 people	59	3.6%
g. 6 or more people	224	13.7%
	<b>Total</b>	<b>1,636</b>
		<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

<i>Q-67. During the past 3 months, with how many people did you have sexual intercourse?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	738	45.0%
b. I have had sexual intercourse, but not during the past 3 months	267	16.3%
c. 1 person	416	25.4%
d. 2 people	90	5.5%
e. 3 people	50	3.0%
f. 4 people	17	1.0%
g. 5 people	15	0.9%
h. 6 or more people	48	2.9%
<b>Total</b>	<b>1,641</b>	<b>100.0%</b>

<i>Q-68. Did you drink alcohol or use drugs before you had sexual intercourse the last time?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	738	44.9%
b. Yes	238	14.5%
c. No	668	40.6%
<b>Total</b>	<b>1,644</b>	<b>100.0%</b>

<i>Q-69. The last time you had sexual intercourse, did you or your partner use a condom?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	729	44.5%
b. Yes	565	34.5%
c. No	344	21.0%
<b>Total</b>	<b>1,638</b>	<b>100.0%</b>

<i>Q-70. The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? (Select only one response.)</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I have never had sexual intercourse	729	44.9%
b. No method was used to prevent pregnancy	128	7.9%
c. Birth control pills	165	10.2%
d. Condoms	418	25.7%
e. Depo-Provera (or any injectable birth control), Nuva Ring (or any birth control ring), Implanon (or any implant), or any IUD	56	3.4%
f. Withdrawal	58	3.6%
g. Some other method	30	1.8%
h. Not sure	40	2.5%
<b>Total</b>	<b>1,624</b>	<b>100.0%</b>

<i>Q-71. How do you describe your weight?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Very underweight	83	5.0%
b. Slightly underweight	187	11.4%
c. About the right weight	810	49.2%
d. Slightly overweight	469	28.5%
e. Very overweight	98	6.0%
<b>Total</b>	<b>1,647</b>	<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

Q-72. Which of the following are you trying to do about your weight?	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Lose weight	812	49.2%
b. Gain weight	309	18.7%
c. Stay the same weight	266	16.1%
d. I am not trying to do anything about my weight	265	16.0%
	<b>Total</b>	<b>1,652</b>
		<b>100.0%</b>

Q-73. During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight?	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	323	19.9%
b. No	1,303	80.1%
	<b>Total</b>	<b>1,626</b>
		<b>100.0%</b>

Q-74. During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? (Do not include meal replacement products such as Slim Fast.)	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	158	9.6%
b. No	1,489	90.4%
	<b>Total</b>	<b>1,647</b>
		<b>100.0%</b>

Q-75. During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	157	9.6%
b. No	1,483	90.4%
	<b>Total</b>	<b>1,640</b>
		<b>100.0%</b>

Q-76. During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? (Do not count punch, Kool-Aid, sports drinks, or other fruit-flavored drinks.)	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not drink 100% fruit juice during the past 7 days	403	24.8%
b. 1 to 3 times during the past 7 days	554	34.1%
c. 4 to 6 times during the past 7 days	276	17.0%
d. 1 time per day	119	7.3%
e. 2 times per day	110	6.8%
f. 3 times per day	63	3.9%
g. 4 or more times per day	98	6.0%
	<b>Total</b>	<b>1,623</b>
		<b>100.0%</b>

Q-77. During the past 7 days, how many times did you eat fruit? (Do not count fruit juice.)	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I did not eat fruit during the past 7 days	269	16.2%
b. 1 to 3 times during the past 7 days	616	37.1%
c. 4 to 6 times during the past 7 days	340	20.5%
d. 1 time per day	168	10.1%
e. 2 times per day	134	8.1%
f. 3 times per day	55	3.3%
g. 4 or more times per day	77	4.6%
	<b>Total</b>	<b>1,659</b>
		<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

<i>Q-78. During the past 7 days, how many times did you eat green salad?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not eat green salad during the past 7 days	540	32.6%
b. 1 to 3 times during the past 7 days	624	37.7%
c. 4 to 6 times during the past 7 days	257	15.5%
d. 1 time per day	128	7.7%
e. 2 times per day	49	3.0%
f. 3 times per day	15	0.9%
g. 4 or more times per day	41	2.5%
<b>Total</b>	<b>1,654</b>	<b>100.0%</b>

<i>Q-79. During the past 7 days, how many times did you eat potatoes? (Do not count french fries, fried potatoes, or potato chips.)</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not eat potatoes during the past 7 days	459	27.9%
b. 1 to 3 times during the past 7 days	795	48.2%
c. 4 to 6 times during the past 7 days	237	14.4%
d. 1 time per day	72	4.4%
e. 2 times per day	31	1.9%
f. 3 times per day	16	1.0%
g. 4 or more times per day	38	2.3%
<b>Total</b>	<b>1,648</b>	<b>100.0%</b>

<i>Q-80. During the past 7 days, how many times did you eat carrots?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not eat carrots during the past 7 days	787	47.3%
b. 1 to 3 times during the past 7 days	590	35.4%
c. 4 to 6 times during the past 7 days	148	8.9%
d. 1 time per day	61	3.7%
e. 2 times per day	35	2.1%
f. 3 times per day	12	0.7%
g. 4 or more times per day	32	1.9%
<b>Total</b>	<b>1,665</b>	<b>100.0%</b>

<i>Q-81. During the past 7 days, how many times did you eat other vegetables? (Do not count green salad, potatoes, or carrots.)</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not eat other vegetables during the past 7 days	344	20.8%
b. 1 to 3 times during the past 7 days	612	37.1%
c. 4 to 6 times during the past 7 days	370	22.4%
d. 1 time per day	160	9.7%
e. 2 times per day	79	4.8%
f. 3 times per day	35	2.1%
g. 4 or more times per day	51	3.1%
<b>Total</b>	<b>1,651</b>	<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

<i>Q-82. During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? (Do not count diet soda or diet pop.)</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not drink soda or pop during the past 7 days	323	19.6%
b. 1 to 3 times during the past 7 days	557	33.7%
c. 4 to 6 times during the past 7 days	326	19.7%
d. 1 time per day	135	8.2%
e. 2 times per day	114	6.9%
f. 3 times per day	60	3.6%
g. 4 or more times per day	137	8.3%
<b>Total</b>	<b>1,652</b>	<b>100.0%</b>

<i>Q-83. During the past 7 days, how many times did you drink a can, bottle, or glass of an energy drink, such as Red Bull or Jolt? (Do not count diet energy drinks or sports drinks such as Gatorade or PowerAde).</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I did not drink energy drinks during the past 7 days	1,018	61.4%
b. 1 to 3 times during the past 7 days	364	22.0%
c. 4 to 6 times during the past 7 days	117	7.1%
d. 1 time per day	44	2.7%
e. 2 times per day	35	2.1%
f. 3 times per day	10	0.6%
g. 4 or more times per day	69	4.2%
<b>Total</b>	<b>1,657</b>	<b>100.0%</b>

<i>Q-84. During the past 7 days, on how many days did you eat breakfast?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	247	15.0%
b. 1 day	144	8.7%
c. 2 days	160	9.7%
d. 3 days	158	9.6%
e. 4 days	127	7.7%
f. 5 days	131	7.9%
g. 6 days	102	6.2%
h. 7 days	580	35.2%
<b>Total</b>	<b>1,649</b>	<b>100.0%</b>

<i>Q-85. During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	265	16.3%
b. 1 day	134	8.3%
c. 2 days	125	7.7%
d. 3 days	166	10.2%
e. 4 days	137	8.4%
f. 5 days	221	13.6%
g. 6 days	136	8.4%
h. 7 days	440	27.1%
<b>Total</b>	<b>1,624</b>	<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

<i>Q-86. On an average school day, how many hours do you watch TV?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not watch TV on an average school day	282	17.3%
b. Less than 1 hour per day	309	18.9%
c. 1 hour per day	211	12.9%
d. 2 hours per day	342	20.9%
e. 3 hours per day	231	14.1%
f. 4 hours per day	112	6.9%
g. 5 or more hours per day	146	8.9%
<b>Total</b>	<b>1,633</b>	<b>100.0%</b>

<i>Q-87. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Include activities such as Xbox, PlayStation, Nintendo DS, iPod touch, Facebook, and the Internet.)</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. I do not play video or computer games or use a computer for something that is not school work	342	20.8%
b. Less than 1 hour per day	353	21.5%
c. 1 hour per day	288	17.5%
d. 2 hours per day	238	14.5%
e. 3 hours per day	156	9.5%
f. 4 hours per day	84	5.1%
g. 5 or more hours per day	183	11.1%
<b>Total</b>	<b>1,644</b>	<b>100.0%</b>

<i>Q-88. In an average week when you are in school, on how many days do you go to physical education (PE) classes?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 days	674	41.4%
b. 1 day	64	3.9%
c. 2 days	57	3.5%
d. 3 days	191	11.7%
e. 4 days	65	4.0%
f. 5 days	578	35.5%
<b>Total</b>	<b>1,629</b>	<b>100.0%</b>

<i>Q-89. During the past 12 months, on how many sports teams did you play? (Count any teams run by your school or community groups.)</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. 0 teams	773	47.0%
b. 1 team	376	22.9%
c. 2 teams	264	16.0%
d. 3 or more teams	232	14.1%
<b>Total</b>	<b>1,645</b>	<b>100.0%</b>

<i>Q-90. Have you ever been taught about AIDS or HIV infection in school?</i>	<u><b>Count</b></u>	<u><b>Percent</b></u>
a. Yes	1,284	78.6%
b. No	212	13.0%
c. Not sure	137	8.4%
<b>Total</b>	<b>1,633</b>	<b>100.0%</b>

**2011 MONTANA YOUTH RISK BEHAVIOR SURVEY  
HIGH SCHOOL STUDENT FREQUENCY DISTRIBUTIONS  
FOR STUDENTS WITH DISABILITIES**

<i>Q-91. Has a doctor or nurse ever told you that you have asthma?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	444	27.0%
b. No	1,098	66.7%
c. Not sure	105	6.4%
	<b>Total</b>	<b>1,647</b>
		<b>100.0%</b>

<i>Q-92. Do you still have asthma?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. I have never had asthma	994	59.9%
b. a. Yes	259	15.6%
c. b. No	238	14.3%
d. c. Not sure	169	10.2%
	<b>Total</b>	<b>1,660</b>
		<b>100.0%</b>

<i>Q-93. During the past 12 months, did you receive help from a resource teacher, speech therapist or other special education teacher at school?</i>	<b><u>Count</u></b>	<b><u>Percent</u></b>
a. Yes	1,672	100.0%
b. No	0	0.0%
	<b>Total</b>	<b>1,672</b>
		<b>100.0%</b>

## Students with Disabilities

<b><i>Injury and Violence</i></b>	<b>1999</b>	<b>2001</b>	<b>2003</b>	<b>2005</b>	<b>2007</b>	<b>2009</b>	<b>2011</b>
<b>Percentage of students who . . .</b>							
Rode a bicycle and never or rarely wore a bicycle helmet during the past 12 months	92.7	90.0	90.1	89.3	90.2	90.2	87.1
Never or rarely wore a seat belt when riding in a car driven by someone else	23.3	25.7	23.9	21.9	23.3	20.9	17.4
Never or rarely wore a seat belt when driving a car		30.2	30.8	29.7	29.2	24.7	19.7
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	46.8	45.6	41.9	38.7	41.5	35.6	31.4
Drove a car when they had been drinking alcohol during the past 30 days	28.2	26.6	23.8	21.5	20.7	18.1	14.6
Texted or e-mailed while driving a car during the past 30 days							42.8
Talked on a cell phone while driving a car during the past 30 days							45.8
Carried a weapon such as a gun, knife, or club during the past 30 days	30.3	31.5	25.7	31.3	33.3	28.8	32.2
Carried a gun during the past 30 days	15.5	17.9	14.4	15.9	15.7	14.8	14.2
Carried a weapon on school property during the past 30 days	16.0	15.8	12.3	16.4	16.0	13.4	16.7
Did not go to school because they felt unsafe at school or on their way to or from school during the past 30 days	5.9	8.1	7.1	9.0	7.9	8.0	10.2
Had property such as their car, clothing, or books stolen or deliberately damaged on school property during the past 12 months			30.8	32.2	32.6	-	32.7
Had been threatened or injured with a weapon on school property during the past 12 months	9.7	14.0	11.5	12.2	12.5	10.2	13.5
Were in a physical fight during the past 12 months	41.4	42.5	38.8	42.7	44.8	41.7	36.6
Were injured in a physical fight that required medical treatment during the past 12 months	6.4	7.9	7.0	7.9	9.5	6.9	7.4
Were in a physical fight on school property during the past 12 months	21.3	20.9	16.4	20.0	20.3	17.1	18.2
Were hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months	15.7	15.3	15.3	17.5	14.8	14.0	15.4
Have ever been physically forced to have sexual intercourse when they did not want to	12.3	14.8	14.4	16.7	15.4	13.4	16.6
Had been bullied on school property during the past 12 months						33.0	38.3
Had been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging during the past 12 months						21.3	29.1

## Students with Disabilities

<b><i>Injury and Violence - continued</i></b>	<b>1999</b>	<b>2001</b>	<b>2003</b>	<b>2005</b>	<b>2007</b>	<b>2009</b>	<b>2011</b>
<b>Percentage of students who . . .</b>							
Felt so sad or hopeless for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	32.9	35.1	35.9	36.3	36.8	37.3	38.2
Seriously considered attempting suicide during the past 12 months	22.4	25.5	24.4	24.8	23.6	23.9	25.6
Made a plan about how they would attempt suicide during the past 12 months	19.1	22.8	20.4	20.7	21.1	20.1	21.5
Actually attempted suicide during the past 12 months	16.7	21.3	18.1	19.0	17.7	16.0	17.6
Had a suicide attempt resulting in injury, poisoning, or overdose that required medical treatment during the past 12 months	6.3	8.5	6.1	6.6	5.3	6.8	7.3

<b><i>Tobacco Use</i></b>	<b>1999</b>	<b>2001</b>	<b>2003</b>	<b>2005</b>	<b>2007</b>	<b>2009</b>	<b>2011</b>
<b>Percentage of students who . . .</b>							
Ever tried cigarette smoking	74.5	74.6	70.6	67.1	64.5	62.8	55.3
Smoked a cigarette before age 13	32.4	39.1	33.2	31.7	26.7	22.4	20.5
Smoked a cigarette on one or more of the past 30 days ("current")	44.6	40.7	36.7	37.0	32.2	31.8	27.7
Smoked cigarettes on 20 or more of the past 30 days ("frequent")	23.8	20.5	17.3	16.7	15.5	13.5	10.3
Among current smokers, smoked more than 10 cigarettes per day on the days they smoked during the past 30 days	9.9	14.6	12.5	12.4	13.9	10.8	10.5
Usually got their cigarettes by buying them in a store or gas station during the past 30 days	10.9	11.1	7.7	7.0	6.0	5.3	6.4
Smoked cigarettes on school property during the past 30 days	17.6	19.2	14.4	14.3	12.0	11.0	11.6
Ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days ("regular")	35.5	31.3	30.4	29.2	26.7	23.8	22.2
Among current smokers, tried to quit smoking during the past 12 months		70.0	65.9	62.9	59.2	61.4	64.6
Used chewing tobacco, snuff, or dip during the past 30 days	23.1	23.7	19.3	21.1	21.0	20.1	19.7
Used chewing tobacco, snuff, or dip on school property during the past 30 days	14.8	15.0	12.6	13.5	13.7	14.4	13.6
Smoked cigars, cigarillos, or little cigars during the past 30 days	20.7	16.5	16.7	20.5	18.3	16.7	18.7

## Students with Disabilities

<b>Alcohol and Other Drug Use</b>	<b>1999</b>	<b>2001</b>	<b>2003</b>	<b>2005</b>	<b>2007</b>	<b>2009</b>	<b>2011</b>
<b>Percentage of students who . . .</b>							
Had at least one drink of alcohol during their life	85.0	82.7	81.8	78.7	78.4	75.7	72.4
Had first drink of alcohol before age 13	42.2	47.2	40.3	38.7	37.2	32.5	31.7
Had at least one drink of alcohol during the past 30 days ("current")	58.7	59.4	51.7	52.1	48.8	45.1	41.3
Had five or more drinks of alcohol in a row during the past 30 days ("binge drink")	46.8	49.0	40.9	39.3	37.9	33.3	30.1
Among current users of alcohol, usually got the alcohol they drank from someone who gave it to them during the past 30 days						31.8	27.3
Had at least one drink of alcohol on school property during the past 30 days	11.7	13.5	10.2	11.1	9.9	8.8	9.6
Used marijuana during their life	48.1	51.4	49.5	45.5	45.1	42.6	45.0
Tried marijuana before age 13	18.3	19.8	19.7	18.4	16.7	13.6	16.4
Used marijuana during the past 30 days ("current")	29.8	30.0	29.8	27.8	25.7	25.8	28.8
Used marijuana on school property during the past 30 days	11.3	12.3	9.9	11.3	9.2	8.3	10.6
Used any form of cocaine during their life	16.2	14.7	14.6	13.3	12.0	9.4	12.0
Used any form of cocaine during the past 30 days ("current")	7.8	8.9	6.7	7.4	7.0	5.0	6.9
Used inhalants during their life	23.1	19.7	20.3	20.1	25.3	18.0	20.3
Used heroin during their life	5.4	7.1	5.8	6.2	6.2	4.8	6.3
Used methamphetamines during their life	17.8	15.9	14.5	11.5	8.6	5.3	6.7
Used ecstasy during their life			9.9	8.1	10.1	9.7	12.3
Took steroid pills or shots without a doctor's prescription during their life	8.1	9.6	9.2	7.4	7.6	5.5	6.8
Have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription							24.6
Used a needle to inject any illegal drug into their body during their life	5.0	6.3	5.3	5.8	5.7	5.3	6.0
Were offered, sold, or given an illegal drug on school property during the past 12 months	29.8	31.8	30.1	27.7	29.2	26.1	29.6

## Students with Disabilities

<b>Sexual Behaviors</b>	<b>1999</b>	<b>2001</b>	<b>2003</b>	<b>2005</b>	<b>2007</b>	<b>2009</b>	<b>2011</b>
<b>Percentage of students who . . .</b>							
Ever had sexual intercourse	51.8	52.3	52.5	53.6	54.8	54.6	58.1
Had sexual intercourse before age 13	11.6	12.2	11.3	11.6	12.0	11.5	11.8
Had sexual intercourse with four or more people during their life	7.4	20.1	20.6	19.9	18.3	21.1	22.3
Had sexual intercourse during the past three months ("current")	34.1	32.4	33.7	36.2	34.0	34.1	38.7
Drank alcohol or used drugs before last sexual intercourse	39.4	43.1	37.9	38.5	31.9	33.5	26.3
Currently sexually active and used a condom during last sexual intercourse	55.1	60.9	64.3	63.6	62.9	64.6	62.2
Currently sexually active and used birth control pills to prevent pregnancy before last sexual intercourse	14.4	15.1	14.9	16.3	17.1	15.5	18.4
Had ever been taught about AIDS or HIV infection	85.9	86.4	86.2	83.3	81.7	80.0	78.6

## Students with Disabilities

<b>Weight Management and Dietary Behaviors</b>	<b>1999</b>	<b>2001</b>	<b>2003</b>	<b>2005</b>	<b>2007</b>	<b>2009</b>	<b>2011</b>
<b>Percentage of students who . . .</b>							
Described themselves as slightly or very overweight	29.4	29.7	32.7	30.1	32.9	34.8	34.5
Were trying to lose weight	39.3	44.1	45.4	45.7	47.2	48.0	49.2
Went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days	15.2	22.2	17.1	20.4	19.9	20.6	19.9
Took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days	9.1	11.1	12.0	10.3	12.3	9.4	9.6
Vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days	6.5	10.3	8.4	10.6	10.2	9.6	9.6
Drank 100% fruit juices during the past seven days	79.9	80.1	78.7	76.8	78.2	74.7	75.2
Ate fruit during the past seven days	84.7	84.8	83.5	81.8	82.6	85.9	83.8
Ate green salad during the past seven days	73.9	71.8	70.3	68.4	64.9	67.5	67.4
Ate potatoes during the past seven days	80.1	76.4	75.7	69.4	69.5	70.6	72.1
Ate carrots during the past seven days	55.9	55.8	54.2	54.3	51.7	52.0	52.7
Ate other vegetables during the past seven days	83.6	81.0	82.4	78.0	77.5	80.3	79.2
Drank a can, bottle, or glass of soda or pop daily during the past seven days					32.4	32.0	27.0
Drank a can, bottle, or glass of an energy drink, such as Red Bull or Jolt (not sports drinks such as Gatorade or PowerAde), during the past seven days							38.6
Ate breakfast daily during the past seven days							35.2

## Students with Disabilities

<b>Physical Activity</b>							
Percentage of students who . . .	1999	2001	2003	2005	2007	2009	2011
Were physically active for a total of at least 60 minutes per day on five or more of the past seven days					40.3	43.1	49.1
Watched three or more hours per day of TV on an average school day	31.8	31.2	33.5	32.4	31.0	26.8	29.9
On an average school day, played 3 or more hours of video or computer games or used a computer for something not school-related					20.6	21.3	25.7
Attended physical education (PE) classes on one or more days in an average week when they were in school	86.9	58.4	61.1	61.5	57.3	61.2	58.6
Attended physical education (PE) classes daily in an average week when they were in school	28.6	31.9	31.8	35.9	31.9	35.1	35.5
Played on one or more sports teams during the past 12 months	62.2	60.5	58.9	55.8	55.3	52.1	53.0

<b>Other</b>							
Percentage of students who . . .	1999	2001	2003	2005	2007	2009	2011
Had ever been told by a doctor or nurse that they had asthma				27.8	28.3	28.0	27.0
Had been told by a doctor or nurse that they have had asthma and who still have asthma					19.8	20.5	15.6
Had received help from a resource teacher, speech therapist or other special education teacher at school during the past 12 months	100	100	100	100	100	100	100